

FRONT-OPENING COUNTERS



Secure transfers of documents and other items for a safer welcome

Front-opening counters are mainly used in sheltered outdoor areas (guard stations, welcome stations, night desks, etc.). They are large enough to securely transfer both large and small documents and packets and can provide protection against vandalism (some are even bullet-proof), offering compliance with the highest levels of certification (FB7NS). If required, certain models can be rendered fire-resistant. When used in conjunction with a full-duplex intercom system, they provide employees with complete protection against all kinds of physical attack, drafts and dust.

Model 50 can be used to transfer documents, forms of ID and other items via a secure sliding drawer. They are transferred from a secure interior area to an exterior area used by the general public.


MODEL 50



Reference:

A30427 Model 50 without panel
or intercom system

A30428 Model 50.01 with panel
and intercom system



DO YOU KNOW?



Other models in the front-opening counter range:

- PMS-BE (vandalism proof)
- Model 50 (vandalism proof)
- Model 52 (FB4 level bullet-proof)
- Model 53 (FB4 bullet-proof)
- Model 54 (FB7 level bullet-proof)
- Model 63 (FB6 level bullet-proof)

MODEL 50

Specifications

Models 50, 50.01

- Stainless steel drawer with black lacquered steel receptacle for coins/notes and steel holding valve to secure the unit in the wind.
- Black lacquered steel compartment. This compartment is delivered with holes pre-drilled into it for where the cables pass through and for where the intercom system is to be mounted. (model 50.01).
- Description of intercom systems on a separate sheet
- Use: indoor or outdoor (sheltered) for Model 50.01 and only indoor for Model 50 (no front panel)
- Vandalism proof

Operation

- Drawer is manually opened by actioning the knob
- In its closed position, the drawer is automatically locked in place

Installation

This front-opening counter can be installed:

- in tubular framed steel walls,
- secure Fichet aluminium partitions.

Dimensions

Dimensions (mm)	Modèle 50 without intercom system			Modèle 50.01 with intercom system		
	Front panel	Body	Big drawer	Front panel	Body	Big drawer
Height	215	220	187	310	220	187
Width	485	510	297	730	486	378
Depth	4,5	484	324	27	457	324
Extension	220			215		
Weight (kg)	35			54		
Size of area to be reserved	Cut-out in the facade (H x W): 224 x 512 mm			Cut-out in the facade (H x W): 224 x 490 mm		

Packaging

	Model 50	Model 50.01
Weight of packaging + device	40 kg	65 kg
Packaging dimensions	710 x 540 x 300 mm	1200 x 800 x 400 mm
Type of packaging	Disposable pallet	Euro-pallet

Applications

- Motorway toll gates
- Service stations
- Drive-in restaurants
- Security posts
- Penitentiary centers


Advantages

- Aesthetic
- Can be used to protect people and money
- Provides protection against drafts
- Quick and easy to install

MODEL 50

Technical specifications

Model 50



MODEL 50

Technical specifications

Model 50.01

