FRONT-OPENING COUNTERS



Secure transfers of documents and other items for a safer welcome

Front-opening counters are mainly used in sheltered outdoor area (guard stations, welcome stations, desks, etc.). They are large enough to securely transfer both large and small documents and packets and can provide protection against vandalism (some are even bullet-proof), offering compliance with the highest levels of certification (FB7NS). If required, certain models can be rendered fire-resistant. When used in conjuction with a full-duplex intercom system, there front-opening counter provides employees with complete protection against all kins of physical attack, drafts and dust.

Our range includes several models combining glazing and document holder. Configurable in FB4/FB6 bulletproof resistance and/or 60 or 90 minutes fire resistance.

MODELS 7020 / 7053 / 7063



References:
A30486 Model 7020
A30443 Model 7020 CF60
A30487 Model 7053
A30444 Model 7053 CF90
A30488 Model 7063





DO YOU KNOW?



• Model 53.01 CF90



Specifications

Model 7020 FB4

- Window unit including Model 20 pass-through and integrated intercom
- · Counter for handing over large objects up to 100mm high
- · Casing made out of 2mm brushed stainless steel
- · Mouting frame adapted to the wall thickness
- · Safety glass BR4 NS
- · Finition: brushed stainless steel
- · Use: indoors and outdoor (sheltered)
- Delivered with the intercom system DUO 03 Full Duplex (integrated)
- Certified bullet-proof to level FB4 in accordance with the EN 1522 standard
- Optional: fire resistant 60 minutes (window 7553 and counter model 20 spät CF60 tested separtely)
- The unit requires no maintenance, no need for cleaning or lubrification

Operation

· Drawer locks automatically when closed

Model 7053 FB4

- Window unit including sliding Model 53 pass-through and integrated intercom
- Front panel for handing over flat items such as passes, receipts, pasport and other items up to 30mm high
- · Casing made out of 2mm brushed stainless steel
- · Mouting frame adapted to the wall thickness
- · Safety glass BR4 NS
- · Finition: brushed stainless steel
- · Use: indoors and outdoor (sheltered)
- Delivered with the intercom system DUO 03 Full Duplex (integrated)
- Optional: fire resistant 90 minutes (window 7553 and counter 53.01 FB4 CF90 tested separtely)
- The unit requires no maintenance, no need for cleaning or lubrification

Operation

· Drawer locks automatically when closed

Model 7063

- Window unit including Model 63 sliding pass-through and integrated intercom
- For objects and documents up to 40mm high (files up to A4 in size)
- · Casing made out of 2mm brushed stainless steel
- · Mouting frame adapted to the wall thickness
- · Safety glass BR6 NS
- · Finition: brushed stainless steel
- Use: indoors and outdoors (sheltered)
- Delivered with the intercom system DUO 03 Full Duplex (integrated)
- Certified bullet-proof to level FB6 in accordance with the EN 1522 standard
- The unit requires no maintenance, no need for cleaning or lubrification

Operation

· Drawer locks automatically when closed

Applications

- Reception
- · Service stations
- Embassies

Advantages

- Provides protection against drafts
- · Fire resistante
- Aesthetic
- Quick and easy to install

Dimensions


	7020	CF60	7053 CF90		
Dimensions (mm)					
	Overall	Drawer	Overall	Drawer	
Height	4770		1		
ricigne	1370	100	1270	33	
Width	1180	100 370	1270 1040	33 320	
Width	1180 760	370	1040	320	

	7020		7053		7063	
Dimensions (mm)						
	Overall	Drawer	Overall	Drawer	Overall	Drawer
Height	1330	30	1280	39	1280	40
Width	1150	335	1010	326	1090	330
Deepth	650	264	550	215	590	334
Weight (kg)	280		245		448	
Size of area to be reserved	1250 x 1110 (H x W)		1200 x 970 (H x W)		1200 x 1050 (H x W)	


Packaging

	7020	7020 CF60	7053	7053 CF90	7063
Weight of packaging + device	280 kg	360 kg	245 kg	470 kg	448
Packaging dimensions	1200 x 800 x 1400 mm		1200 x 800 x 1500 mm	1200 x 800 x 1400 mm	1200 x 800 x 1500 mm
Type of packaging	Euro-pallet				


Model 7020




Model 7020 CF60



Model 7053



Model 7053 CF90



Model 7063

