

PACKET-/OBJECT- HANDLING SYSTEMS



Secure transfers of documents and other items for a safer welcome

For the most part, front-opening counters with panes are used in indoor areas (reception stations, desks, etc.). They are large enough to securely transfer packets using a packet-handling airlock. When used in conjunction with a full-duplex intercom system, these front-opening counters with panes are able to provide employees with complete protection against physical and weapons attacks.

This counter with glass pane features a packet-handling system for transferring objects and suitcases and is designed to protect personnel against physical and weapons attacks. This counter is fitted with a document-handling system (upper section) for passing all types of documents from one area to the other. This homogeneous assembly features a full-duplex intercom system for easy communication and dialogue through the glass partition. FB4 ballistic protection (> FB4 on request).

TRANSTEK



FB4 /
BR5S



DO YOU KNOW?



Other models in the packet-handling system range

- Configuration with front-opening counter

Specifications

Counter with glass pane

- Airlock safe with both doors controlled by a servo-control unit with an interface for locking (EasySas)
- Solid door P1 (level FB4 ballistic resistance) and glass door P2 (pane with level BR5S / SG2-S ballistic resistance) with small square handle + touch button
- Electrical locking via electro piston (28V DC "fail-safe" lock)
- Glass partition: MagTek A4 Partition section frame, 36 mm laminated pane, ballistic and anti-break-in resistance level: BR5S / SG2-S + P8B
- Model 20 sliding document-handler (100-mm deep), FB4-certified in accordance with the EN 1522 standard
- DUO 03 full-duplex intercom system with recessable loudspeaker
- Delivered dismantled (airlock + pane)
- Usage: indoors
- Resistance: FB4 bullet-proof assembly (> FB4 on request)

Applications

- Reception desks
- Public authorities
- Banks
- Other

Advantages

- Provides protection against physical attacks and is bullet-proof
- Bullet-proof homogeneous assembly
- Compact
- Requires very little maintenance

Optional


- Custom dimensions (FB4 > FB6 on request)

Dimensions

Dimensions (mm)	TransTek	
	Overall	Doors
Height	1990	873
Width	990	980
Depth	800	
Weight (kg)	150	

Technical specifications

TransTek





www.hygiaphone.fr

