PAY WINDOWS



Secure transfers of documents and other items for a safer welcome

Each product in the range is designed to facilitate communication without the need for an intercom, while protecting personnel from germs and physical attacks. These pay windows provide protection against vandalism and are bullet-proof up to level BR4S (in accordance with the EN 1063 standard). They can be installed either indoors or outdoors (in a sheltered area), incorporated into a pane or a concrete wall.

These models are designed to protect personnel against germs, physical attacks and weapons attacks. BR4 ballistic protection in accordance with the EN 1063 standard. These pay windows are fitted with a sound amplification and transfer system designed for optimum acoustic comfort: exclusive vibrating Tymbrane. They are compatible with the various document handlers, coinhandling systems and packet windows in the range.

PARABAL

Reference: A74023 Parabal







DO YOU KNOW?



Other models in the Pay window range

- Duetto without transfer flap (vandalism proof)
- Duetto with transfer flap (vandalism proof)



Specifications

Parabal

- Vibrating Tymbrane that provides protection against drafts and germs
- · Aluminium profile frame, colour: brushed anodised silver
- \cdot 2 panes: one straight with ballistic resistance to level BR4S / SG1S, one straight able to withstand objects being thrown at it P2A class in accordance with the EN 356 standard
- · Delivered assembled with screw and fastening kit
- · Use: indoors or outdoors (sheltered)
- Resistance: bullet-proof to level FB3 in accordance with the EN 1522 standard
- It is compatible with the Sebal PM2 package transfer unit (vandalism proof).

Applications

- Embassies
- Reception desks
- · Public authorities
- Hospitals

Advantages

- Excellent acoustics
- Provides protection against germs and physical attacks and is bullet-proof
- · Provides protection against drafts
- · Avoids the need for an intercom
- · Quick and easy to install
- · Requires very little maintenance

Dimensions

	Parabal	
Dimensions (mm)	NR. CO. CO. CO. CO. CO. CO. CO. CO. CO. CO	
	Overall	
Height	418	
Width	388	
Depth	132	
Weight (kg)	17.3	
Size of area to be reserved (H x L)	423 x 393 mm	


Packaging

	Parabal
Weight of packaging + device	20.5 kg
Packaging dimensions	500 x 400 x 250 mm
Type of packaging	Box + polystyrene foam

PARABAL

Technical specifications

Parabal





www.hygiaphone.fr

